

INDEX MAPS.

T.5N R.4W 2nd Mer.

	368	368-369	368-369	368-369	367-369	367-370						
371	6	390	5	386	4	382	3	379	2	375	1	367
	390		389		386		382		378		374	
371	7	389	8	385	9	382	10	378	11	374	12	366
	390		388		385		381		378		374	
370	18	388	17	385	16	381	15	377	14	373	13	366
	390		388		384		381		377		373	
370	19	387	20	384	21	380	22	377	23	373	24	366
	391		387		384		380		376		372	
370	30	387	29	383	28	380	27	376	26	372	25	366
	391		386		383		379		376		372	
370	31	386	32	383	33	379	34	375	35	371	36	365
	364		363-364		363-364		363-365		363-365		363-365	

T.6N R.4W 2nd Mer.

	399		398		398		398		397		397	
400	6	419	5	416	4	412	3	408	2	404	1	396
	421		419		415		411		408		404	
400	7	419	8	415	9	411	10	407	11	404	12	396
	421		418		415		411		407		403	
400	18	418	17	414	16	411	15	407	14	403	13	396
	420		418		414		410		406		403	
399	19	418	20	414	21	410	22	406	23	402	24	395
	420		417		413		409		406		402	
399	30	417	29	413	28	409	27	405	26	402	25	395
	420		417		413		409		405		401	
399	31	416	32	412	33	408	34	405	35	401	36	395
	393-394		393-394		393-394		393-394		393-394		393-396	

[P] The figures on the lines refer to the page.

393

Township N. 6. North of Range N. 4 West of the 2nd Mer. Line

Ch. 1st

South Boundary

D. 24

West On Random line On the S. Boundary of Sec. 36. T. 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post.
 80.00 Set " " post cor. of sec. 35 & 36.
 Same as last mile.

West On Random line On the S. Boundary of sec. 35. T. 6. N. R. 4 W.
 31.50 To a Brook 10 M. wide, Course S.
 40.00 Set a temporary 1/4 sec. post.
 80.00 " " " post for cor. of sec. 34 & 35.
 Same as last mile.

West On Random line On the S. Boundary of sec. 34. T. 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post.
 80.00 Set " " " post cor. of sec. 33 & 34.
 Same as last mile.

West On Random line On the S. Boundary of sec. 33. T. 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post.
 80.00 " " " post cor. of sec. 32 & 33.
 Same as last mile.

West On Random line On the S. Boundary of sec. 32. T. 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post.
 80.00 " " " post cor. of sec. 31 & 32.
 Same as last mile.

West On Random line On the S. Boundary of sec. 31. T. 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post.
 74.08 Enter at the West Range line 8 M. N. of the cor. of
 T. 5. 5. & 6. 6. N. R. N. 4. & 5 West.
 Same as last mile.

S. N. C. M. N. 47. 2nd Mer. Ind.

Var. 6° 30'

East On the true line On the S. Boundary of sec. 31. T. 6. N. R. 47.
 34.08 Set the temporary post on the true line for cor. of 14 sec. from which
 a Logwood 6 in. dia. bears S 84 E. 24 the dist; 1 in.
 W. Oak. 9 " " " S 68 N. 15 " "
 74.08 Set the temporary post on the true line for cor. of sec. 31 & 32 from
 which a W. Oak. 8 in. dia. bears N 15 E. 13 the dist; 1 in.
 and a L. O. 8 " " " S 79 N. 18 " "

East On the true line On the S. Boundary of sec. 32. T. 6. N. R. 47.
 40.00 Set the temporary post on the true line for 14 sec. cor. from which
 a W. Oak. 7 in. dia. bears N 12 E. 28 the dist; 1 in.
 L. O. - " " " S 25 N. 22 " "
 80.00 Set the temporary post on the true line for cor. of sec. 32 & 33
 from which a W. Oak. 18 in. dia. bears N 81 E. 42 the dist;
 and a Gum 7 " " " S 56 E. 32 " "

East On the true line On S. Boundary of sec. 33. T. 6. N. R. 47.
 40.00 Set temporary post on the true line for the cor. of 14 sec. from
 which a Gum 9 in. dia. bears N 74 E. 19 the dist; 1 in.
 W. Oak. 12 " " " S 8 E. 3 " "
 80.00 Set the temporary post at the cor. of sec. 33 & 34 on true line from
 which a W. Oak. 12 in. dia. bears S 38 E. 36 the dist;
 & a L. O. 18 " " " N 26 N. 28 " "

East On the true line On the S. Boundary of sec. 34. T. 6. N. R. 47.
 40.00 Set the temporary post at the cor. of 14 sec. on the true line from
 which a W. Oak. 12 in. dia. bears S 79 E. 13 the dist
 & a Gum 8 " " " S 14 E. 45 " "
 80.00 Set the temporary post at the cor. of sec. 34 & 35 on the true line
 from which a W. Oak. 12 in. dia. bears S 61 E. 42 the dist
 and a Gum 10 " " " N 7 E. 23 " "

East On the true line On the S. Boundary of sec. 35. T. 6. N. R. 47.

40.00 Set the temp. post on the true line for the cor. of 1/4 sec. from which
a N. Oak. - in dist. bears N 51 E. 34 links dist; & a
Lo. 18 " " " S 54 W. 12 " "
80.00 Set the temp. post on the true line, for the cor. of sec. 35 & 36
from which a Gum 8 in dist. bears N 25 W. 18 links dist;

East On the true line On the E. Boundary of sec. 35 & 36. N. R. 4 W.
40.00 Set the temp. post on the true line for the cor. of 1/4 sec. from
which a N. Oak. 20 in dist. bears West 2. the dist; &
80.00 To the cor. of T. S. N. 5, 5. & 6. 6. N. R. 3 & 4 W.

East Boundary

v. 6° 30' 16.

North On the East Boundary of sec. 36. T. 6. N. R. 4 W.
40.00 Set a 1/4 sec. post from which
Logwood 7 in dist. bears S 4 W. 40 links dist; &
Hick 10 " " " N 38 W. 14 " "
80.00 Set a post for the cor. of sec. 25 & 36 from which a
N. Oak. 18 in dist. bears N. 7 E. 13 links dist; &
N. Oak. 18 " " " S 64 E. 10 " "
Land is level; Timber Oak & Hick.

North On the East Boundary of sec. 25 T. N. 6 N. R. 4 W.
40.00 To a Gum 10 in dist. stands for the cor. of 1/4 sec.
61.10 " " N. Oak. 20 " " " in the line.
80.00 Set a post for the cor. of sec. 24 & 25 from which a
N. Oak. 20 in dist. bears N 17 W. 37 links dist;
The other bearing cannot be ascertained.
Land is level; Soil thin & stony. Timber Oak & Hick.

North On the East Boundary of sec. 24 T. 6 N. R. 4 W.
28.50 To a Brook 10 links wide, corner W.
40.00 Set a post for 1/4 sec. cor. from which a
Hick - in dist. bears N 55 W. 28 links dist; &

D. N. 6. N.R. N. 4 W. 2nd Mer. Ind.

80.00 *Quarter 9 in dist. bears S 47 N. 43 the sub; &
Set apart for the cor. of sec. 13 & 24 from which a
Gump 7 in. dist. bears S 87 N. 23 the sub; & by
Sugar. 7 " " S 45 E. 11 " "
Sands soil & timber same as last mile.*

North *On the East Boundary of sec. 13. D. N. 6. N.R. 4 W.*
40.00 *Set a 1/4 sec. post from which a
N. Oak. 19 in. dist. bears S 41 N. 23 the sub; & as
Do 18 " " " S 57 E. 15 " "
58.25 *Loc. Gum. 18 in. dist. stands in the line.*
80.00 *Set apart for the cor. of sec. 12 & 13. from which a
N. Oak. 20 in. dist. bears S 6 E. 39 the sub; & by
Loc. 10 " " " S 30 N. 29. "
Sands same as last mile.**

North *On the East Boundary of sec. 12. D. N. 6. N.R. 4 W.*
28.73 *Loc. Brook. 20 the mile, Corned Fresh*
40.00 *Set a 1/4 sec. post from which a
Sugar. 8 in. dist. bears S 20 E. 32 the sub; & a
Apple 6 " " " N 9 E. 7 " "
80.00 *Set apart for the cor. of sec. 12 & 12 from which a
Buck. 8 in. dist. bears S 28 E. 4 the sub; & by
Loc. 8 " " " N 3 E. 28 " "
Sands same but not stony;**

North *On the East Boundary of sec. 3. D. N. 6. N.R. 4 W.*
23.60 *Loc. N. Oak. 30 in. dist. stands in the line.*
40.00 *Set a 1/4 sec. post from which a
N. Oak. 7 in. dist. bears S 10 E. 28 the sub; & by
Loc. 12. " " " S 66 N. 5 " "
47.60 *Loc. N. Oak. 10 in. dist. stands in the line.*
80.00 *Set apart at the distance of 6 miles from the E. Boundary**

V. N. O. N. R. N. 4 M. 2nd Mer. Sur. 397

Surveyed by A. Henric D. S.

April 13th 1811.

v. 6.46

North From Henric's 6 mile Post. On the line between R.^s 314 & N. O. Continued.

15.75 Fell 150 lbs East of my Simp's Post
Sugar. 15 in diam: bears S 28 E. 25 lbs each; 1 ac.
Oak. 10. " " " N 83 W. 43. " "

North Boundary

A37

April 14th From the cor. of T. 6 & 7 N. R. 314 & 11.
West On the South Boundary of sec. 36. T. 7 N. R. 4 W.

26.00 Tract Brook. 3 lbs side, Co. S.

40.00 Set a 1/4 cu. post from which
Hickory 13 in diam: bears S 10 W. 15 lbs each; 1 ac.
Buck. 18 " " " N 5 W. 39. " "

60.00 Tract Brook. 3 lbs side, Co. S.

71.00 " " Do. 3 " " " "

80.00 Set a post for the cor. of sec. 35 & 36 from which
Sugar. 9 in diam: bears S 56 E. 16 lbs each; 1 ac.
Do. 10 " " " N 45 W. 37. " "
Healthy Oak. lands;

West On the S. Boundary of sec. 35. T. 7 N. R. 4 W.

30.00 Tract Brook. 3 lbs side, Co. S.

40.00 Set a 1/4 cu. post from which
Buck. 15 in diam: bears S 12 W. 17 lbs each; 1 ac.
H. Oak. 15 " " " N 11 W. 21. " "

43.00 Tract Brook. 75 lbs side, Co. S.

59.00 " " Do. 75 " " " N 4 W.

77.00 " " Do. 75 " " " S W.

80.00 Set a post for the cor. of sec. 34 & 35 from which
Hogwood 6 in diam: bears S 72 E. 3 lbs each; 1 ac.

T. N. C. N. R. No 4 W. 2nd Mer. Ind.

Sugar 6 in dist. bears N 70 W. 12 lbs. dist; Land. same

West	On the S. Boundary of sec. 34. T. 7 N. R. 4 W.
10.00	Foot Spring. Corner S.
25.00	" " " " " "
30.00	" " " " " "
40.00	Set apart for the cor. of sec. 34 from which
	Beck 30 in dist. bears S 75 W. 14 miles dist; r
	Hook 9 " " " N 89 E 28 " "
80.00	Set apart for the cor. of sec. 33 & 34 from which
	Sugar 12 in dist. bears N 85 E. 28 miles dist; r
	Hook 12 " " " S 33 W. 20 " "
	From hill, strong Oak. Land.

West	On the South Boundary of sec. 33. T. 7 N. R. 4 W.
13.00	Foot Brook. 3 lbs. side, Co. S.
38.00	" " " 5 " " " S.
40.00	Set apart for the cor. of sec. 32 from which
	Beck 9 in. dist. bears S 52 E. 13 lbs. dist; r
	N. Oak 30 " " " S 55 W. 24 " "
80.00	Set apart for the cor. of sec. 32 & 33 from which
	Beck 6 in dist. bears South 2 lbs. dist; r
	Do. 15 " " " N 79 E. 13 " "
	Land flat & uneven; Limbs Beck Sugar Oak & r

West	On the S. Boundary of sec. 32. T. 7 N. R. 4 W.
20.00	Foot Brook. 10 lbs. side, Co. S.
25.00	" " " 5 " " " "
40.00	Set apart for the cor. of sec. 31 from which
	Beck 10 in. dist. bears N 39 W. 7 lbs. dist; r
	Sugar 14 " " " N 83 E. 42 " "
80.00	Set apart for the cor. of sec. 31 & 32 from which
	Beck 9 in. dist. bears N 48 E. 18 lbs. dist; r

399

S. N. 6. N. R. N. 4th. 2nd Mer. Sud.

Buck. 16 in. dia. trees N 65th. 29 lbs. dia. &
 Good meadow land; Timber Buck, Sugar Ash,

West	On the South Boundary of sec. 31 T ^h N. R. N. 4 th
15.00	Truck. 100 lbs. dia. Lumber N.
40.00	Set a 1/4 sec. post from which a
	Sugar. 14 in. dia. trees N 59 th . 7 lbs. dia. & a,
	N. B. Oak. 30, " " S 74 th E. 39, "
80.00	Set a temporary post for the cor. of S. 61 st . N. R. 405 th .

West Boundary

440

North	On the East Boundary of sec. 36. T ^h N. 6. N. R. 5 th
40.00	Set a 1/4 sec. post from which a
	Walnut. 16 in. dia. trees S 11 th . 27 lbs. dia. & a,
	Poplar. 36, " " " N 14 th E. 28, "
72.00	Truck. 15 lbs. dia. Lumber S. N.
80.00	Set a post for the cor. of sec. 25 & 36. from which a
	Sugar. 30 in. dia. trees S 25 th E. 11 lbs. dia. & a,
	Sugar. 18, " " " N 45 th . 43, "
	Good land and rich land; Timber Walnut, Sugar Ash.

North	On the East Boundary of sec. 25 T ^h N. 6. N. R. 5 th
40.00	Set a post for the cor. of 1/4 sec. from which a
	Hogwood 8 in. dia. trees S 45 th . 8 lbs. dia. & a,
	do do " " " N 82 th E. 23, "
80.00	Set a post for the cor. of sec. 24 & 25 from which a
	Poplar. 14 in. dia. trees S 4 th E. 16 lbs. dia. & a,
	Hogwood 4, " " " N 7 th E. 18, "
	Good Oak land;

North	On the East Boundary of sec. 24. T ^h N. 6. N. R. 5 th
40.00	Set a post for the cor. of 1/4 sec. from which a
	Sugar. 10 in. dia. trees S. E. 16 lbs. dia. & a,

T. N. 6. N. R. N. 4 W. 2nd Mer. Sec. 2

43.00 W. Oak. 30 in. diam. trees N. W. 24 lbs. ash;
To Brook. 15 lbs. side, Co. 77.
73.00 " 20 3 " " " 47.
80.00 Set apart for the cor. of sec. 13 & 24 from which
W. Oak. 16 in. diam. trees 268 W. 12 lbs. ash; &
W. Oak. 6 " " " 27 E. 11 " "
Good Oak land;

North On the East Boundary of sec. 13. T. N. 6. N. R. N. 5 W.
40.00 To a Hickory 12 in. diam. stands for cor. of 1/4 sec.
59.00 To a B. Oak. 24 " " " the line.
70.00 To a Brook. 3 lbs. side, Comes N. W.
80.00 Set apart for the cor. of sec. 12 & 13 from which
Logan 9 in. diam. trees 222 W. 21 lbs. ash; &
W. Oak. 16 " " " N 4 E. 12 " "
Good Oak land

North On the East Boundary of sec. 12 T. N. 6. N. R. N. 5 W.
8.00 To a Brook. 5 lbs. side, Comes N.
15.00 " " 20. 3 " " " 47.
40.00 Set apart for the cor. of 1/4 sec. from which
W. Oak. 15 in. diam. trees N 82 E. 11 lbs. ash; &
W. Oak. 16 " " " S 22 W. 31 " "
50.00 To a Brook. 3 lbs. side, Comes N.
80.00 Set apart for the cor. of sec. 1 & 12 T. N. 6. N. R. N. 5 W. from which
a W. Oak. 18 in. diam. trees S 10 W. 12 lbs. ash; &
W. Oak. 12 " " " N 60 E. 21 " "
Good land Oak land.

North On the East Boundary of sec. 1. T. N. 6. N. R. N. 5 W.
40.00 Set apart for the cor. of 1/4 sec. from which
Hickory 16 in. diam. trees S 21 E. 5 lbs. ash; &
P. flow 50 " " " N 10 W. 22 " "

T. N^o 6. N.R. N^o 4 W. 2nd Mer. Sur.

74.00 To a Brook 15 lbs wide, comes W
 95.00 Intersected the N. Boundary line, 9.00 ch. East of Temp^y
 post cor. of T. N^o 6 & 7 N.R. N^o 4 & 5 W. from which a
 Maple 10 in. diam. bears N 72 E. 12 lbs dist; 1 in
 Ash 10 " " " S 55 W. 16 " "
 Good level bank;

Surveyed by
 Alexander Holmes, C.E.

Subdivisions

North
 40.00 Between Sur. 35 & 36. T. N^o 6. N.R. 4 W
 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 W. Oak 10 in. diam. bears N 21 E. 22 lbs dist; 1 in
 Do. 10 " " " N 50 W. 13 " "
 59.00 To a Brook 12 lbs wide, comes W.
 80.00 Set a post for the cor. of sec. 25, 26, 35 & 36 from which a
 W. Oak 10 in. diam. bears S 75 W. 16 lbs dist; 1 in
 Do 10 " " " North 14 " "
 Good soil. 8 Timber: Oak, - Spruce, M. S. Dogwood Oak
 Hackberry.

East
 On a random line between Sur. 25 & 36 T. N^o 6. N.R. 4 W
 40.00 Set a temp^y $\frac{1}{4}$ sec. post
 79.70 Intersect the N & S line or East Boundary at the post cor.
 of sec. 25 & 36. Good same.

West
 On the true line between Sur. 25 & 36. T. N^o 6. N.R. 4 W
 39.85 Set the temp^y post at the cor. dist on the true line for the
 cor. of $\frac{1}{4}$ sec. from which a
 Hickory 12 in. diam. bears S 52 E. 10 lbs dist; 1 in
 W. Oak 10 " " " N 65 W. 22 " "
 79.70 To the cor. of sec. 25, 26, 35 & 36.

T. N^o 6. N.R. N^o 47. 2nd Mer. Ind²

North
40.00 Between Sec. 25 & 26 T. N^o 6. N.R. N^o 47
Set apart for the cor. of 74 sec. from which a
N. Oak. 10 in. dia. trees N 5 E. 58 lbs. each; & a
Do. 10 " " " 88 E. 19 " "
80.00 Set apart for the cor. of sec. 23, 24, 25 & 26 from which a
Sum 10 in. dia. trees N 9 E. 21 lbs. each; & a
N. Oak. 12 " " " 94 N. 10 " "
Sands same as last mile.

East
38.00 On Random line between Sec. 24 & 25. T. 6. N.R. 47.
To a Brook. 10 lbs. wide, Corner N.
40.00 Set a temp. 1/4 sec. post
79.90 Intersect the N & S line at the post cor. of sec. 24 & 25
Sands same as last mile.

West
39.95 On the true line between Sec. 24 & 25 T. N^o 6. N.R. 47
Set the temp. 1/4 post at the av. dist. on the true line for
the cor. of 74 sec. from which a
N. Oak. 10 in. dia. trees N 35 W. 11 lbs. each; & a
Do. 12 " " " 35 E. 2 " "
79.90 To the cor. of Sec. 23, 24, 25 & 26.

North
32.64 Between Sec. 24 & 25 T. N^o 6. N.R. 47.
To a Brook. 18 lbs. wide, Corner N.
33.00 " " N. Oak. 24 in. dia. stands in the line
40.00 Set a 74 sec. post from which a
Sum. 10 in. dia. trees N 7 E. 43 lbs. each; & a
N. Oak. 12 " " " 87 N. 10 " "
80.00 Set apart for the gr. of sections 13, 14, 23, & 24 from which
Sugar. 12 in. dia. trees N 16 E. 9 lbs. each; & a
Sawwood 7 " " " 87 N. 8 " "
Sands same as last mile.

T. N. 6. N. R. N. 4 N. 2nd Mer.

East On a Random line between Sec. 13 & 24. T. 6. N. R. 4 N.
 40.00 Set temp. 1/4 sec post.
 77.00 To water corner; - Corner St.
 80.00 Enter cut the East Boundary at the post cor. of Sec. 13 & 24
 Land same as last mile.

West On the true line between Sec. 13 & 24 T. N. 6. N. R. 4 N.
 40.00 Set the temp. 1/4 post at av. dist. on the true line for the cor. of
 1/4 sec. from which
 Dogwood 7 in. diam. bears S 89 E. 31 the dist; 10,
 Do 7 " " S 25 N. 12 " "
 80.00 To the post cor. of Sec. 13 & 24.

North Between Sec. 13 & 14 T. N. 6. N. R. N. 4 N.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Gum. 12 in. diam. bears N 57 N 72 the dist; 7,
 W. Oak. 12 " " S 76 E. 44 " "
 75.00 To a B. Oak. 12 in. diam. stands in the river.
 80.00 Set a post for the cor. of Sec. 11, 12, 13 & 14 from which a
 Gum. 10 in. diam. bears S 67 E. 21 the dist; 10,
 W. Oak. 20 " " S 37 N. 27 " "
 Land same as last mile.

East On a Random line between Sec. 12 & 13. T. N. 6. N. R. 4 N.
 40.00 Set temp. 1/4 sec post.
 63.50 To a Brook. 12 the side, Corner St.
 80.00 Enter cut the East Boundary at the post cor. of Sec. 12 & 13.
 Land same as last mile.

West On the true line between Sec. 12 & 13 T. 6. N. R. 4 N.
 40.00 Set the temp. 1/4 post at the av. dist; on the true line for the
 cor. of 1/4 sec. from which a
 W. Oak. 12 in. diam. bears N 88 N 71 the dist; 10.

T. N. 6. N. R. N. 4 W. 2nd Mer. Ind.

80.00	To the post cor. of Sec. 11, 12, 13 & 14
North	Between Sec. 11 & 12 T. N. 6. N. R. 4 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Back 10 in. dist. bears N 25 E. 29 lbs. dist; and Amwood 6 " " " S 87 W. 5 " "
46.00	To a Brook 35 links wide, Corner N. W.
71.00	" " " " " " " " " " " " " " " "
80.00	Set a post for the cor. of Sec. 1, 2, 11 & 12 from which N. Oak 20 in. dist. bears N 75 E. 28 lbs. dist; and Log 24 " " " " " " " " " " " " " " " "
	Send same as last mile.
Cash	On a Modern line between Sec. 1 & 12 T. 6. N. R. 4 W.
25.50	To a Brook 10 lbs. wide, Corner S. W.
40.00	Set a temporary post
80.00	Set out the East Boundary 8 lbs. N. of the post cor. of Sec. 1 & 12 Send same.
West	On the same line between Sec. 1 & 12 T. 6. N. R. 4 W.
40.00	Set the temporary post at an. dist. on the same line for the cor. to $\frac{1}{4}$ sec. from which Back 12 in. dist. bears S 10 E. 4 lbs. dist; and Log 8 " " " " " " " " " " " " " " " "
80.00	To the post cor. of Sec. 1, 2, 11 & 12
North	Between Sec. 1 & 2 T. N. 6. N. R. N. 4 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ sec. from which Log 6 in. dist. bears S 7 E. 10 lbs. dist; and Log 8 " " " " " " " " " " " " " " " "
96.50	Set a post on the N. R. Boundary 150 links from the post cor. of Sec. 35 & 36 T. N. 7 N. R. N. 4 W. from which Log 4 in. dist. bears N 54 E. 3 lbs. dist; and

405

T. N. 6. N. R. N. 4. W. 2nd Mer. Ind.

Loganode. 4 in. dia. trees N 80 W. 4.
Sunde Lums at last mile.

North Return Sul. 34 & 35 of N. 6. N. R. 4 W.
30.00 To N. Oak 18 in dia. stands in the line.
40.00 Set a post for the cor. of 74 cu. from which
N. Oak. 18 in. dia. trees S 39 E. 38 the dist; 1 a,
Wick 10 " " " S 10 W. 33 " "
80.00 Set a post for the cor. of Sul. 26, 27, 34 & 35 from which
W. Oak. 12 in dia. trees N 71 E. 23 the dist; 1 a,
Do. 18 " " " S 14 E. 15 " "
Sunde roll 8. Timber Oak. & Hick.

East On Random line between Sul. 26 & 35 of N. 6. N. R. 4 W.
40.00 Set a temp. 1/4 cu. post
80.00 Intersected the N & S line 12 the S. of the post cor. of Sul.
25, 26, 35 & 36.
Sunde Lums at last mile.

West Return Sul. 26 & 35. True line.
40.00 Set the temp. post at ar. dist in the true line for the cor.
of 74 cu. from which
N. Oak. 20 in dia. trees S 45 E. 30 the dist; 1 a,
W. Oak. 9 " " " S 89 E. 47 " "
80.00 To the post cor. of Sul. 26, 27, 34 & 35.

North Return Sul. 26 & 27 of N. 6. N. R. N. 4 W.
40.00 Set a post for the cor. of 74 cu. from which
W. Oak. 12 in. dia. trees S 47 W. 21 the dist; 1 a,
Do. 12 " " " N 87 W. 25 " "
80.00 Set a post for the cor. of Sul. 22, 23, 26 & 27 from which
W. Oak. 10 in. dia. trees N 58 W. 26 the dist; 1 a,
Loganode 4 " " " N 81 E. 3 " "

T. N^o 6. N.R. N^o 477. 2nd Mer. Ind.^{er}

Land sub & timber same as last mile.

East	On Random line between Sec. 23 & 26. T. 6. N.R. 477
40.00	Set a temporary 1/4 Sec. post
79.80	Intersect the N 13 line 45 lbs. E. of the post cor. of sec. 23, 24, 25, & 26. Land same as last mile
West	On the true line between Sec. 23 & 26. T. 6. N.R. 477.
39.90	Set the temporary post at av. dist. on the true line for the cor. of 1/4 Sec. from which a
	N. Oak. 18 in. dia. bears N 73 W. 39 lbs. dist; tan
	Log marks 6, " " S 65 E. 6 " "
79.80	To the cor. of Sec. 22, 23, 26 & 27
North	Between Sec. 22 & 23. T. N ^o 6. N.R. N ^o 477
40.00	Set a post for the cor. of 1/4 Sec. from which a
	N. Oak. 10 in. dia. bears N 9 E. 28 lbs. dist; tan
	N. Oak. 11 " " " S 6 E. 21 " "
80.00	Set a post for the cor. of Sec. 14, 15, 22 & 23. from which a
	Sum. 10 in. dia. bears S 80 E. 23 lbs. dist; tan
	N. Oak. - " " " N 35 E. 23 " "
	Land hilly and stony; thin soil; timber Oak & Hickory
East	On Random line between Sec. 14 & 23. T. 6. N.R. 477
19.00	Lost Book 18 lbs. side, corner N.
40.00	Set a temporary 1/4 Sec. post
79.00	Lost Book. 10 lbs. side, corner S.W.
80.00	Intersected the N 13 line 12 lbs. North of the post cor. of Sec. 13, 14, 23 & 24
	Land same as last mile
West	On the true line between Sec. 14 & 23. T. N ^o 6. N.R. 477
40.00	Set the temporary 1/4 Sec. post at the av. dist. on the true

407

S. N. 6. N.R. N. 47. 2nd Mer. Ind.

80.00	<p>Line from which a W. Oak. 10 in. dia. trees N. 80 E. 38 lbs. dist; 1 a, Lo. 15 " " " S 7 E. 20 " " To the cor. of Sec. 14. 15. 22. & 23.</p>
North	Between Sec. 14. & 15 S. N. 6. N.R. N. 47.
28.50	To a Brook. 12 lbs. wide, comes S. N.
30.50	" " Lo. 12 " " " S. E.
34.50	" " Lo. 12 " " " S. N.
40.00	Set a post for the cor. of 1/4 Sec. from which a W. Oak. 12 in. dia. trees N 20 E. 23 lbs. dist; 1 a, Hickory 8 " " " S 20 E. 30 " " 80.00 Set a post for the cor. of Sec. 10. 11. 14. & 15 from which a W. Oak. 20 in. dia. trees S 44 N. 28 lbs. dist; 1 a, Sugar. 12 " " " N 33 N. 24 " " Run the same
East	On a random line between Sec. 11. & 14 S. 6. N.R. 47.
16.50	To a Brook. 10 lbs. wide, comes N.
40.00	Set a temporary 1/4 Sec. post
79.75	Intersect the N & S line 19 lbs. North of the post cor of Sec. 11. 12. 13. & 14 Run the same as last mile.
West	On the true line between Sec. 11. & 14. S. 6. N.R. 47.
39.87 1/2	Set the temporary post at the ar. dist. on the true line for cor of 1/4 Sec. from which a W. Oak. 20 in. dia. trees East 31 lbs. dist; 1 a, Hogwood 7 " " " N 87 E. 15 " " 79.75 To the cor. of Sec. 10. 11. 14. & 15.
North	Between Sec. 10. & 11 S. N. 6. N.R. N. 47.
40.00	Set a post for the cor. of 1/4 Sec. from which a

T. N^o 6. N.R. N^o 4 W. 2nd Mer. Ind.^c

N. Oak 20 in dia^r trees South 29 W. 12th 1st m.
 Buck 10 " " " S 36 W. 12 " "
 48.00 To Brook 25 W. mid, Course West
 53.00 To same 25 " " " N.E.
 55.00 " " 25 " " " West.
 80.00 Set a post for the cor. of Sec. 2, 3, 10 & 11 from which a
 Log made 7 in dia^r trees S 85 E. 33 W. 12th 1st m.
 Do. 9 " " " N 89 W. 23 " "
 Lande said & Smith same as last mile.

East On a random line between Sec. 2 & 11 T. N^o 6. N.R. 4 W.
 40.00 Set a temporary 1/4 sec post
 80.00 Enter at the NW cor. 8 W. South of the post cor
 of Sec. 1, 2, 11 & 12
 Lande same as last mile.

West On the true line between Sec. 2 & 11 T. N^o 6. N.R. 4 W.
 40.00 Set the temporary 1/4 sec post at the av. creek in the true
 line from which an
 Elm 9 in dia^r trees N 84 E. 26 W. 12th 1st m.
 Maple 10 " " " N 70 W. 4 " "
 80.00 To the cor. of Sec. 2, 3, 10 & 11.

North Between Sec. 2 & 3 T. N^o 6. N.R. N^o 4 W.
 40.00 Set a post for the cor. of 1/4 sec. from which a
 Buck 12 in dia^r trees N 15 W. 30 W. 12th 1st m.
 Do. 12 " " " S 37 E. 30 " "
 95.00 To Brook 50 W. mid, Course S.W.
 97.00 Enter at the N.W. boundary at the post cor of Sec.
 34 & 35 T. N^o 7. N.R. N^o 4 W.
 Lande same as last mile.

North Between Sec. 33 & 34 T. N^o 6. N.R. 4 W.

409

T. N. 6. N. R. N. 4. W. 2nd Mer. Sud.

40.00	Set apart for the cor. of $\frac{1}{4}$ sec. from which Poplar. 20 in. diam. bears N 77 E. 9 lbs. dist; 1 m, Heiker 10 " " " S 25 W. 17 " "
80.00	Set apart for the cor. of sec. 27, 28, 33 & 34 from which W. Oak. 12 in. diam. bears N 89 E. 44 lbs. dist; 1 m, Maple 18 " " " N 53 E. 23 " " Sends collg. Timber Oak, & Heiker to W. J. Logwood Heiker & Co
East	On a Random line between Sec. 27 & 34 T. 6. N. R. 4. W.
40.00	Set a temporary $\frac{1}{4}$ sec. post
75.00	To a Brook. 6 lbs. wide, comes N. W.
79.90	Intersect the N. W. line 12 lbs. South of the Post cor. of Sec. 26, 27, 34 & 35. Sends same as last mile.
West	On the true line between Sec. 27 & 34. T. N. 6. N. R. N. 4. W.
39.95	Set the temporary post at the ave. dist. on the true line for the cor. of $\frac{1}{4}$ sec. from which W. Oak. 8 in. diam. bears S 81 E. 29 lbs. dist; 1 m. Do. 12 " " " N 79 W. 30 " "
79.90	To the cor. of sec. 27, 28, 33 & 34
North	Between Sec. 27 & 28 T. N. 6. N. R. N. 4. W.
40.00	Set a $\frac{1}{4}$ sec. post from which W. Oak. 12 in. diam. bears N 33 E. 5 lbs. dist; 1 m, W. Oak. 20 " " " S 6 W. 37 " "
80.00	Set apart for the cor. of sec. 21, 22, 27 & 28 from which Heiker 12 in. diam. bears S 9 E. 23 lbs. dist; 1 m, Pine 10 " " " N 83 E. 60 " " Sends same as last mile
East	On a Random line between Sec. 22 & 27 T. 6. N. R. 4. W.

T. N. 6. N. R. N. 4 N. 2nd Mer. Ind.

40.00 Set a temp^y $\frac{1}{4}$ sec. post.
 52.00 To Brook. 10 lks wide, course N.
 80.10 Introduced the N & S line 15 lks South of the post cor of
 Sec. 22, 23, 26, & 27.
 Same soil & timber same as the last mile.

West On the true line between Sec. 22 & 27 T. 6. N. R. 4 N.
 40.05 Set a $\frac{1}{4}$ Oak; 18 in dia^r incl^d the stand^d for the cor.
 the $\frac{1}{4}$ sec at an arch on the true line
 80.10 To the cor. of Sec. 21, 22, 27, & 28.

North Between Sec. 21 & 22 T. N. 6. N. R. N. 4 N.
 40.00 Set $\frac{1}{4}$ sec. post from which
 W. Oak. 12 in dia^r bears N 7 W. 33 lks due; $\frac{1}{4}$ sec
 Ho. 12 " " S 5 E. 23 " "
 80.00 Set apart for the cor. of Sec. 15, 16, 21 & 22 from which
 Poplar. 12 in dia^r bears N 35 E. 23 lks due; $\frac{1}{4}$ sec
 Gum. 12 " " " N 88 W. 9 " "
 Same same as last mile.

East On Random line between Sec. 15 & 22 T. 6. N. R. 4 N.
 40.00 Set a temp^y $\frac{1}{4}$ sec. post in a Brook. 12 lks wide,
 course N.
 79.90 Introduced the N. & S line 10 links N. of the post cor of Sec.
 14, 15, 22, & 23. Same same.

West On the true line between Sec. 15 & 22 T. N. 6. N. R. N. 4 N.
 39.95 Set the temp^y post at the an. arch on the true line for
 the cor. of $\frac{1}{4}$ sec. from which on
 Elm 18 in dia^r bears N 86 E. 40 links due; $\frac{1}{4}$ sec
 W. Oak. 10 " " " S 82 W. 70 " "
 79.90 To the cor. of Sec. 15, 16, 21 & 22

T. N^o 6. N. R. N^o 4 W. 2nd Mer. Ind.

North	Between Sec 15 & 16. T. N ^o 6. N. R. N ^o 4 W.
40.00	Set a post for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak. 12 in. diam. bears N 20 E. 15 the ditch; 1 a, do. 14 " " " N 36 W. 21 " "
80.00	Set a post for the cor. of Sec. 9. 10. 15 & 16 from which a Wick 10 in. diam. bears S 23 E. 13 the ditch; 1 a, W. Oak. 20 " " " N 49 W. 27 " " Same same as last mile.
East	On Random line between Sec 10 & 15 T. N ^o 6. N. R. 4 W.
40.00	Set a temp ^y $\frac{1}{4}$ Sec. post
70.00	To a Brook. 30 the side, Corner N.
79.90	Intersect the N & S line & the South of the post cor. of Sec. 10. 11. 14 & 15. Same same as last mile.
West	On the true line between Sec. 10 & 15 T. N ^o 6. N. R. 4 W.
39.95	Set the temp ^y post at corr. dist. on the true line for the cor. of $\frac{1}{4}$ Sec. from which a W. Oak. 18 in. diam. bears S 53 W. 11 the ditch; 1 a, W. Oak. 10 " " " S 9 E. 13 " "
79.90	To the cor. of Sec. 9. 10. 15 & 16.
North	Between Sec. 9 & 10 T. N ^o 6. N. R. N ^o 4 W.
40.00	Set a post for $\frac{1}{4}$ Sec. cor. from which a W. Oak. 9 in. diam. bears S 33 E. 8 the ditch; 1 a, do. 10 " " " N 76 W. 35 " "
57.60	To a W. Oak. 12 in. diam. stands on line.
80.00	Set a post for the cor. of Sec. 3. 4. 9 & 10 from which a W. Oak. 8 in. diam. bears S 87 E. 16 the ditch; 1 a, W. Oak. 2 " " " S 11 E. 18 " " Same same as last mile.
East	On a Random line between Sec. 3 & 10 T. N ^o 6. N. R. 4 W.

T. N.º 6. A. R. N.º 4 W. 2nd Mer. Ind.

13.00 To a Brook. 60 lbs wide, Course N.
 40.00 Set a temp^t 1/4 sec. post
 55.00 To a Spring; Course N.
 80.00 Enter cut the N. & S line 10 lbs N. of the post cor off
 Sw. 2, 3, 10, & 11. Same do same

West On the line between Sw. 3 & 10. T. N.º 6. A. R. N.º 4 W.
 40.00 Set the temp^t post at the av. dist. in the line
 for the cor of 1/4 sec. from which
 Sugar 10 in dist. bears S 87 E. 8 lbs dist; on
 W. Oak. 20 " " " N 73 W. 26 " "
 80.00 To the cor. of Sw. 3, 4, 9 & 10.

North Between Sw. 3 & 4 T. N.º 6. A. R. N.º 4 W.
 15.00 To a Brook. 50 lbs wide, Course N. W.
 40.00 Set a post for the cor. of 1/4 sec. from which
 Birch. 12 in dist. bears N 15 W. 7 lbs dist; on
 Poplar. 12 " " " S 3 W. 8 " "
 97.50 Enter cut the N. Boundary 166 lbs East of the post
 cor. of Sw. 33, & 34 T. N.º 7. A. R. N.º 4 W. from which
 Gum. 12 in. dist. bears N 72 E. 10 lbs dist; on
 Birch 12 " " " N 57 W. 13 " "
 Same do same as last mile.

North Between Sw. 32, & 33 T. N.º 6. A. R. N.º 4 W.
 29.50 To a R. Oak 20 in. dist. stands in the line.
 40.00 Set a post for 1/4 sec. cor. from which
 W. Oak. 12 in. dist. bears S 35 W. 26 lbs dist; on
 L. O. 18 " " " East 2 " "
 71.00 To a Brook. 15 lbs wide, Course N.
 80.00 Set a post for the cor. off Sw. 28, 29, 32 & 33 from which
 W. Oak. 12 in dist. bears S 78 E. 10 lbs dist; on
 L. O. 9 " " " N 30 E. 21 " "

T. N^o 6. N.R. N^o 4 W. 2nd Mer. Sud.^a

Sands roll 8. Timber Oak & Hickory

East	On Random line between Sec. 28 & 33 T. N ^o 6. N.R. 4 W.
40.00	Set a temp ^y 1/4 sec. post
50.50	To a Brook 12 hrs wide, comes S. W.
79.50	" same. Do. 12, " " N. W.
80.00	Intersect the N. & S. line 12 miles N. of sec. cor. of 27, 28. 33 & 34 Sands same as last mile.
West	On the true line between Sec. 28 & 33 T. N ^o 6. N.R. 4 W.
40.00	Set the temp ^y 1/4 sec. post at the cor. dash on the true line from which
	N. Oak - the dash bears N 58 W. 19 miles dash; 1 a
	N. Oak - " " " 61 W. 5 " "
80.00	To the cor. of sec. 28, 29, 33 & 33
North	Return Sec. 28 & 29 T. N ^o 6. N.R. N ^o 4 W.
12.00	To a N. Oak 18 in diam. stands on the line.
15.50	To a Brook 10 hrs wide, comes W.
40.00	Set a 1/4 sec. post from which
	N. Oak - in diam. bears S 4 E. 23 miles dash; 1 a
	Logwood Co. " " " N 27 W. 14 " "
80.00	Set a post for the cor. of sec. 20, 21, 28 & 29 from which
	Poplar Co. in diam. bears S 6 W. 6 miles dash; 1 a
	Hickory 9 " " " S 55 E. 8 " "
	Sands soil & timber same as last mile.
East	On Random line between Sec. 21 & 28 T. N ^o 6. N.R. 4 W.
40.00	Set a temp ^y 1/4 sec. post
79.85	Intersect the N. & S. line at the post cor. of sec. 21, 22, 27 & 28. Sands same as last mile.
West	On the true line between Sec. 21 & 28 T. N ^o 6. N.R. 4 W.

T. N. C. M. R. N. 477. 2nd Mer. Sud?

3992½ Set the temp. post at cov. dist on the true line for the
 cor of ¼ sec. from which a
 Logwood 5 in. dia. beams S 74 N. 18 links dist; 1 in.
 L.O. 9 " " " N 57 E. 9 " "
 7985 To the cor of sec. 20. 21. 28. & 29.

North Between Sec. 20. & 21. T. N. C. M. R. N. 477
 23.50 To a W. Oak. 20 in. dia. stands in the line
 110.00 Set a post for the cor. of ¼ sec. from which a
 W. Oak. 10 in. dia. beams S 31 E. 27 links dist; 1 in.
 Logwood 6 " " " N 61 E. 13 " "
 80.00 Set a post for the cor. of sec. 15. 16. 20 & 21 from which a
 Logwood 6 in. dia. beams S 87 E. 22 links dist; 1 in.
 W. Oak. 18 " " " N 8 E. 7 " "
 Sand dist & timber same as last mile

East On a Random line between Sec. 16. & 21. T. N. C. M. R. 477
 40.00 Set a temp. ¼ sec. post
 80.00 Set a post for the N. S. line 9 links North of the post cor of
 Sec. 15. 16. 20. & 22.
 Sand same as last mile.

West On the true line between Sec. 16. & 21. T. N. C. M. R. 477
 40.00 Set the temp. post at the cov. dist on the true line for the
 cor of ¼ sec. from which a
 W. Oak. 20 in. dia. beams N 88 E. 43 links dist; 1 in.
 W. Oak. 12 " " " N 35 W. 24 " "
 80.00 To the cor. of sec. 16. 17. 20. & 21.

North Between Sec. 16. & 17. T. N. C. M. R. N. 477
 40.00 Set a post for the cor. of ¼ sec. from which a
 Hickory 10 in. dia. beams S 27 E. 15 links dist; 1 in.
 W. Oak. 10 " " " N 57 W. 8 " "

T. N^o 6. N.R. N^o 47. 2nd Mer. Sud?

57.50	To a Brook 10 miles wide, Course E.
74.50	" " Spring. " E.
80.00	Set a post for the cor of Sw. 8. 9. 16. 17 from which a Poplar 6 in dia: bears N 57. E. 36 miles dist; to No. 10 " " S 70 W. 50 " " Lands soil and timber same as last mile.
East	On Kandam line between Sw. 9. 16 T. N ^o 6. N.R. 47
8.00	To a Brook 18 miles wide, Course N.
23.00	" " Spring " S W.
40.00	Set a trap 1/4 Sw. post.
80.00	Intersect the N 48 line 7 miles North of the post cor off Sw. 9. 10. 15 & 16. Lands same
West	Between Sw. 9 & 16. T. N ^o 6. N.R. N ^o 47
40.00	Set the trap 1/4 post at the av. dist in the true line for the cor of 74 Sw. from which a Pine 8 in dia: bears S 42 W. 9 miles dist; to Logan 6 " " N 45 E 23 " " 80.00 To the cor of Sw. 8. 9. 16. & 17.
North	Between Sw. 8 & 9. T. N ^o 6. N.R. N ^o 47.
36.30	To a B. Oak 24 in. dia: stands in the line.
40.00	Set a post for the cor. of 74 Sw. from which a Poplar 10 in dia: bears S 35 W. 28 miles dist; to Heik 12 " " " N 64 E. 13 " " 80.00 Set a post for the cor. of Sw. 4, 5, 8 & 9 from which a Heik 9 in. dia: bears N 52 W. 13 miles dist; to No. 10 " " " S 7 E. 6 " " Lands soil and timber same as last mile.
East	On Kandam line between Sw. 4 & 9. T. N ^o 6. N.R. 47
22.00	To a Brook 18 miles wide, Course N

T. N^o 6. N.R. N^o 47. 2nd Mer. Ind.

40.00 Set a trap 74 cu. post
 80.00 Intersect the N. S. line 5 miles North of the cor. to Sec.
 34. 9+10 Sand & lime

West On the true line between Sec. 41 & 9 T. N. 6. N.R. 47.
 40.00 Set the trap post at the av. dist. in the true line
 for the cor. of 74 cu. from which a
 Sugar. 7 in. dia. bears S 84 E. 38 miles dist; to
 W. Oak. 6 " " N 86 W. 28 " "
 80.00 To the first cor. of Sec. 45. 8 & 9.

North Between Sec. 41 & 5 T. N. 6. N.R. N^o 47
 40.00 Set a 74 cu. post from which a
 W. Oak. 10 in. dia. bears N 29 W. 16 miles dist; to
 No. 15 " " " S 51 E. 8 " "
 53.00 To a Brook. 50 the middle corner N.
 98.00 Intersect the N. Boundary 250 miles East of the cor. to
 Sec. 32. & 33. T. N. 7. N.R. N^o 47. & set a post for the
 cor. of Sec. 41 & 5. from which a
 Maple. 10 in. dia. bears S 6 E. 17 miles dist; to
 Buck. 10 " " " N 26 E. 9 " "
 Sand & soil to. Lime

North Between Sec. 31. & 32 T. N. 6. N.R. N^o 47
 40.00 Set a 74 cu. post from which a
 W. Oak. 18 in. dia. bears N 64 W. 14 miles dist; to
 Hick. 10 " " " S 48 W. 13 " "
 54.50 To a Brook. 20 miles side corner N.
 80.00 Set a post for the cor. of Sec. 29. 30. 31. & 32 from which
 W. Walnut 8 in. dia. bears S 54 E. 14 miles dist; to
 Loganside Co. " " " N 68 W. 11 " "
 Sand & soil. Timber. Oak. & Hick; Bushy

417

T. N^o 6. N. R. N^o 4 W. 2nd Mer. Sec^a.

East On Random line between Sec. 29 & 30 T. N^o 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post
 68.00 To a Brook. 12 miles wide, crossed S. W.
 80.00 Enter cut the N. W. line 1/2 mile N. of the post cor. of sec.
 28, 29, 32 & 33 Lands same.

West On the true line between Sec. 29 & 30 T. N^o 6. N. R. 4 W.
 40.00 Set the temporary post at the corner ditch on the true line for
 the cor. of 1/4 sec. from which
 Poplar. 18 in. diam. bears North 5 miles dist; 1 a,
 W. Oak. 10 " " " " 49 N. 18 " "
 80.00 To the cor. of sec. 29, 30, 31 & 32

North Between Sec. 29 & 30 T. N^o 6. N. R. 4 W.
 40.00 Set a post for the cor. of 1/4 sec. from which
 Poplar. 10 in. diam. bears S. 14 N. 36 miles dist; 1 a,
 Log woods 1/2 " " " " 22 N. 29 " "
 80.00 Set a post for the cor. of sec. 19, 20, 29 & 30 from which
 Birch. 18 in. diam. bears N. 52 W. 41 mile dist; 1 a,
 Log woods 7 " " " " 19 N. 19 " "
 Lands same as last mile.

East On Random line between Sec. 20 & 29 T. N^o 6. N. R. 4 W.
 40.00 Set a temporary 1/4 sec. post
 80.00 Enter cut the N. W. line 12 miles N. of the cor. of sec. 20, 21.
 28 & 29 Lands same as last mile

West On the true line between Sec. 20 & 29 T. N^o 6. N. R. 4 W.
 40.00 Set the temporary post at the corner ditch on the true line for the
 cor. of 1/4 sec. from which
 W. Oak. 20 in. diam. bears N. 77 W. 28 mile dist; 1 a
 Log woods 5 " " " " 21 E. 19 " "
 80.00 To the cor. of sec. 19, 20, 29 & 30.

T. N. C. N. R. N. 4. N. 2nd Mer. Inda

North	Between Sec. 19 & 20 T. N. C. N. R. N. 4. N.
40.00	Set a 1/4 sec. post from which a Heik 10 mi. dist. bears S 28 E. 18 links dist; 1 a Logmood 6 " " " S 10 W. 19 " "
54.75	To a Block. 10 links wide. Corner S. N.
80.00	Set a post for the cor. of Sec. 17, 18, 19 & 20 from which Logmood 7 mi. dist. bears N 88 E. 43 links dist; 1 a W. Oak. 20 " " " S 44 E. 19 " " Sunde same as last mile.
East	On a Random line between Sec. 17 & 20 T. N. C. N. R. N. 4. N.
30.00	To a Block. 18 links wide. Corner S. N.
40.00	Set a temp. 1/4 sec. post.
80.00	Intersect the N. 20 line 18 links S. of the post cor. of Sec. 16, 17, 20 & 21. Sunde same.
West	On the true line between Sec. 17 & 20 T. N. C. N. R. N. 4. N.
40.00	Set the temp. 1/4 post at the cor. dist. on the true line for the cor. of 1/4 sec. from which Logmood 6 mi. dist. bears S 51 E. 3 links dist; 1 a W. Oak. 12 " " " N 29 W. 14 " "
80.00	To the cor. of Sec. 17, 18, 19 & 20.
North	Between Sec. 17 & 18 T. N. C. N. R. N. 4. N.
40.00	Set a post for the cor. of 1/4 sec. from which W. Oak. 8 mi. dist. bears N 10 W. 37 links dist; 1 a Logmood 6 " " " N 10 E. 27 " "
80.00	Set a post for the cor. of Sec. 7, 8, 17 & 18 from which W. Oak. 12 mi. dist. bears N 39 W. 18 links dist; 1 a W. Oak. 12 " " " S 30 W. 17 " " Sunde with W. Heik, Logmood, & Sallafus
East	On a Random line between Sec. 8 & 17 T. N. C. N. R. N. 4. N.

419

T. N^o 6. N.R. N^o 4 N. 2nd Man. Ind^a

40.00	Set a temp. 7 1/4 Sec. post.
79.90	Intersect the N.S. line 16 miles S. of the post cor. of sec. 8, 9, 16, & 17. Lands same as last mile.
West 39.95	Between Sec. 8 & 17. On the true line T. N ^o 6. N.R. N ^o 4 N. Set the temp. post at the av. distance on the true line for the cor. of 7 1/4 Sec. from which a W. Oak. 8 mi. dist. bears S 83 W. 27 1/2 mi. due; & a, W. Oak. 10 " " " N 37 E. 14 " " 79.90 To the post cor. of sec. 7, 8, 17, & 18.
North 40.00	Between Sec. 7 & 18. T. N ^o 6. N.R. N ^o 4 N. Set a 7 1/4 Sec. post from which a W. Oak. 7 mi. dist. bears South 13 W. due; 80.00 Set a post for the cor. of sec. 5, 6, 7, & 8 from which a Sugar. 8 mi. dist. bears N 88 E. 34 mi. due; & a, Co. 8 " " " N 10 E. 11 " " Lands same as last mile.
East 40.00	On a random line between Sec. 5 & 8. T. N ^o 6. N.R. N ^o 4 N. Set a temp. 7 1/4 Sec. post 80.00 Intersect the N.S. line 35 miles S. of the post cor. of sec. 4, 5, 8, & 9. Lands same as last mile.
West 40.00	Between Sec. 5 & 8. T. N ^o 6. N.R. N ^o 4 N. Set the temp. post at the av. dist. on the true line for the cor. of 7 1/4 Sec. from which a W. Oak. 12 mi. dist. bears S 76 E. 17 1/2 mi. due; & a, Co. 12 " " " N 13 W. 2 " " 80.00 To the post cor. of sec. 5, 6, 7 & 8.
North 40.00	Between Sec. 5 & 6. T. N ^o 6. N.R. N ^o 4 N. Set a post for the cor. of 7 1/4 Sec. from which a

T. N° 6. N.R. N° 4 W. 2nd Mer. Sud.

	Poplar. 12 in diam. bears N 84 E. 5 links west; 1 a
	Sugar. 10 " " " S 18 W 7 " "
88.00	Trab Brook. 50 links wide, Comes N.
99.00	Intersect the N Boundary 346 links East of the post cor. of sec. 31 & 30 T. N° 7. N.R. N° 4 W. under the apert for the cor. of sec. 5 & 6 from which Black. 10 in diam. bears N. 29 E. 11 links west; 1 a Yum. 10 " " " S 39 E. 16 " "
	Slide same as last mile
<hr/>	
West	Between Sec. 30 & 31 T. N° 6. N.R. N° 4 W
40.00	Set a 1/4 sec post from which Hedge Hede 6 in diam. bears N 41 E. 30 links west; 1 a " 10. " " " S 18 E. 13 " "
74.80	Set a post on the West Boundary 72 links N of the post cor. of sec. 25 & 26 T. N° 6. N.R. N° 5 W from which Linnwood 6 in diam. bears N 61 E. 20 links west; 1 a Sugar. 18 " " " S 57 W. 41 " "
	Slide or 1/5 Timber Oak & Hickory
<hr/>	
West	Between Sec. 19 & 20 T. N° 6. N.R. N° 4 W
40.00	Set a post for the cor. of 1/4 sec. from which Logwood 6 in diam. bears S 61 E. 18 links west; 1 a W. Oak. — " " " N 82 W. 22 " "
75.10	Set a post on the West Boundary. 48 links N of the post cor. of sec. 24 & 25 T. N° 6. N.R. N° 5 W from which Poplar. 10 in diam. bears S 23 E. 29 links west; 1 a Yum 6 " " " N 25 W. 10 " "
	Slide or 1/5 Timber Oak & Hickory
<hr/>	
West	Between Sec. 19 & 18 T. N° 6. N.R. N° 4 W
30.50	Trab Brook 10 links wide, Comes S.
40.00	Set a post for the cor. of 1/4 sec. from which

T. N^o 6. N.R. N^o 477. 2nd Mer. Snd^a

74.50 W. Oak. 10 in diam? trees N65 E. 24 links dist; 1 a.
 Log made. 7th " " N72 W. 45 " "
 Set a post on the West Boundary 13 links N of the cor. of
 Sec. 13 & 24 T. N^o 6. N.R. N^o 577. From which a
 W. Oak. 12 in. diam? trees N34 E. 11 links dist; 1 a.
 W. Oak. 12th " " " S58 W. 20 " "
 Same same as last mile.

West 40.00 Between Sec. 7 & 18 T. N^o 6. N.R. N^o 477.
 Set a 7/8 in. post from which a
 Run. 10 in diam? trees. N35 W. 48 links dist; 1 a.
 Log made 8th " " " N25 E 14 " "
 75.00 Enter at the West Boundary at the cor. of Sec. 12 & 13.
 T. N^o 6. N.R. N^o 577.
 Same same as last mile.

West 18.00 Between Sec. 6 & 7 T. N^o 6. N.R. N^o 477.
 To a Block. 10 links dist, corner N.
 40.00 Set a 7/8 in. post from which a
 W. Oak. 9 in diam? trees N53 E. 27 links dist; 1 a.
 W. Oak. 10 " " " N44 W. 18 " "
 75.66 Set a post on the West Boundary 114 links S of the post on
 of Sec. 18 & 12 T. N^o 6. N.R. N^o 577. From which a
 W. Oak. 18 in diam? trees S41 E. 14 links dist; 1 a.
 No 12th " " " N18 E. 25 " "
 Same will 7. Limits Oak. & 2 Clear

Surveyed by
 Arthur Hennie D.S.

T^h N^o 6. N^o 4th 2nd Mer. Ind.

I certify that the foregoing transcript of the
Field notes of Township N^o 6. North of Range
N^o 4th West of the 2nd Principal Meridian, Indi-
ana, has been compared with the Original notes in
this Office and found to be correct.

Surveyor General's Office,

Cincinnati, Dec. 30. 1840

E. S. Darius
Sur. Genl.